Recycling Made Simple

Gently Powerful Shredder Integrated Pelletizing Technology Raffia. Woven. FIBC. POLYSTAR POLYSTAR

POLYSTAR MACHINERY


No. 101, Ln. 279, Sec. 1, Fu Chiang Road, Yung kang Dist., Tainan City 710, Taiwan T+886-6-2730889 F+886-6-2730887 E sales@polystarco.com

www.polystarco.com



Directly Processes

- Raffia. Film. Lumps.
- Woven / Non-woven
- FIBC. Jumbo Bags
- Heavily printed Ad-star Bags










1 | Shredder integrated pelletizing technology






Two-channel filtration

Filter with dual channel system For non-stop operation and reduces machine down time







Automatic pelletizing speed adjustment - Produces more uniform-sized pellets without labor intervention

Automatic blade pressure adjustment - Less machine down time, easier to change and adjust knives

Model Comparison





Model	*Output range (kg/hr)	Power consumption	Dimension		
			A (Length)	B (Height)	C (Width)
Repro One 65	80~110	55 kw	5800	4100	11300
Repro One 85	150~200	95 kw	5900	4100	12000
Repro One 100	200~300	138 kw	6000	4100	12700
Repro One 120	350~500	153 kw	6100	4100	13400

^{*} Output based on clean, dry LDPE film processing, without degassing

